Best suitable model for traditional *Nori* (seaweed) Outside Rolls!

New rice forming process enables to supply stable and fluffy rice sheet for Roll Sushi.

Supporting 7 Languages

LCD operation touch panel can be displayed in either English, French, German, Spanish, Korean, Chinese, and Japanese by user selection on panel.

Process



 Place Nori (dried seaweed) by hand on the Forming Plate



2. It spreads sushi rice on the *Nori*



3. Place ingredients by hand



4. Rolled up by Forming Plate



5. Forms beautiful rolls



Roll Sushi Making Machine SVR-NXA

Dimensions

(SVR-NXA-CE)

1 3

Features -

- 3 kinds of Rolls can be memorized.
- Rice length, thickness and even density of rice can be adjusted.
- Rice sheet can be supplied continuously without rolling process.
- Re-roll up function is added to make Rolls tighter when needed.
- Convenient LCD touch panel, supporting 7 languages either English, Spanish, French, German, Korean, Chinese or Japanese.
- · Easy operation & cleaning.

Specifications _

Model

SVR-NXA-CE (Applied to CE Regulation) SVR-NXA-ET (Applied to ETL/cETL)

Input

AC100 - 240V, 50/60 Hz, Single phase

Power consumption

70W

Capacity

Small roll: 400 rolls/hr Medium roll: 300 rolls/hr Large roll: 280 rolls/hr

* Production capacity varies by operator's working speed.

Hopper capacity

MAX 7.5kg of cooked rice

Roll Size

Small roll: □25mm Medium roll: □35mm Large roll: □46mm

Machine dimensions (in mm)

Width:

360mm

Depth:

613mm (SVR-NXA-CE)

Depth:

543mm (SVR-NXA-ET)

Height:

640mm

Weight

41.5kg

*Designs and specifications are subject to change without notice.









Suzumo Machinery Co., Ltd.

Overseas Business Division 2-23-2, Toyotamakita, Nerima-ku,

Tokyo 176-0012, Japan Tel. +81 3-3993-1407 Fax. +81 3-3993-1756

e-mail overseas@suzumo.co.jp
URL http://www.suzumokikou.com

< Contact in North America >

Suzumo International Corporation

1815 W. 205th Street, Suite 101 Torrance, CA 90501, U.S.A. Tel. +1 310-328-0400

Fax. +1 310-328-2700 e-mail sic@suzumokikou.com